

EAST - [lined duct:2]

File View Edit Tools Window Help

Search List Browse Queue Clear

DBs US-PGPUB; USPAT

Default operator: OR ☒ Highlight all hit terms initially

296/51

2) 14 and 49/248.ccls.
 1) 14 and 49/246.ccls.
 5) 14 and axis near5 (lock or catch)
 (220) (296/146.11).CCLS.
 (1) ("6305737").PN.
 (32) Backward citation search 1
 (358) (296/155).CCLS.
 (6) 113 and upper near5 track with hinge
 (8) 113 and 296/146.12.ccls.
 (8) 113 and 296/146.12.ccls.
 (16) 113 and 296/146.11.ccls.
 (7) "6030025"
 (3) (("6030025") or ("6086137") or ("6149222")).PN.
 (1) ("6808223").PN.
 (10) Backward citation search 2
 (10) Backward citation search 3
 (0) Forward citation search 1
 (10) Combined citation search 1
 (11) (("6,629,337") or ("6.447,043") or ("6,178,593") or
 (1) ("6447043").PN.
 (178) (49/247).CCLS.
 (280) (16/367-369).CCLS.
 (1) ("2178908").PN.
 (292) (296/51).CCLS.

Custom form BRS form IS&R form Hits Details

Drafts		Pending		Active	
L1: (11) (296/146.12).CCLS.					
L2: (108) (49/248).CCLS.					
L3: (371) (49/246).CCLS.					
L4: (737) ((16/321) or (16/327) or					
L5: (0) 14 and 296/146.12.ccls.					
L6: (61) 296/146.12.ccls.					
L7: (2) 14 and 49/248.ccls.					
L8: (1) 14 and 49/246.ccls.					
L9: (6) 14 and axis near5 (lock or					
L10: (220) (296/146.11).CCLS.					
L11: (1) ("6305737").PN.					
L12: (32) Backward citation search					
L13: (358) (296/155).CCLS.					
L14: (6) 113 and upper near5 track					
L15: (8) 113 and 296/146.12.ccls.					
L16: (8) 113 and 296/146.12.ccls.					
L17: (16) 113 and 296/146.11.ccls.					
L18: (7) "6030025"					
L19: (3) (("6030025") or ("6086137"					
L20: (1) ("6808223").PN.					
L21: (10) Backward citation search					

L #	Hits	Search Text	DBs	Time Stam	Comme
1	L1	11	(296/146.12).CCLS.	US-P 2004/11/1 GPUB 2 06:06	
2	L2	108	(49/248).CCLS.	US-P 2004/11/1 GPUB 2 06:15	
3	L3	371	(49/246).CCLS.	US-P 2004/11/1 GPUB 2 06:15	
4	L4	737	((16/321) or (16/327) or (16/333) or (16/32	US-P 2004/11/1 GPUB 2 06:17	
5	L5	0	14 and 296/146.12.ccls.	USPA 2004/11/1 T 2 06:17	
6	L6	61	296/146.12.ccls.	USPA 2004/11/1 T 2 06:17	
7	L7	2	14 and 49/248.ccls.	USPA 2004/11/1 T 2 06:18	
8	L8	1	14 and 49/246.ccls.	USPA 2004/11/1 T 2 06:19	
9	L9	6	14 and axis near5 (lock or catch)	USPA 2004/11/1 T 2 06:23	
10	L10	220	(296/146.11).CCLS.	US-P 2004/11/1 GPUB 2 07:01	
11	L11	1	("6305737").PN.	US-P 2004/11/1 GPUB 2 07:01	
12	L12	32	("3158395" "3272552" "3757969"	US-P 2004/11/1 GPUB 2 07:02	
13	L13	358	(296/155).CCLS.	US-P 2004/11/1	

BRS form Hits Details HTML

Ready NUM

EAST - (lined duct:2)

File View Edit Tools Window Help

2) 14 and 49/248.ccls.
1) 14 and 49/246.ccls.
6) 14 and axis near5 (lock or catch)
(220) (296/146.11).CCLS.
(1) ("6305737").PN.
(32) Backward citation search 1
(358) (296/155).CCLS.
(6) 113 and upper near5 track with hinge
(8) 113 and 296/146.12.ccls.
(8) 113 and 296/146.12.ccls.
(16) 113 and 296/146.11.ccls.
(7) "6030025"
(3) (("6030025") or ("6086137") or ("6149222")).PN.
(1) ("6808223").PN.
(10) Backward citation search 2
(10) Backward citation search 3
(0) Forward citation search 1
(10) Combined citation search 1
(11) (("6,629,337") or ("6.447,043") or ("6,178,593") or
(1) ("6447043").PN.
(178) (49/247).CCLS.
(280) (16/367-369).CCLS.
(1) ("2178908").PN.
(292) (296/51).CCLS.

Search List Browse Queue Clear
DBs US-PGPUB:USPAT
Default operator: OR ☒ Highlight all hit terms initially
296/51

Custom form BRS form IS&R form Hits Details

L15: (8) 113 and 296/146.12.ccls.
L16: (8) 113 and 296/146.12.ccls.
L17: (16) 113 and 296/146.11.ccls.
L18: (7) "6030025"
L19: (3) (("6030025") or ("6086137"
L20: (1) ("6808223").PN.
L21: (10) Backward citation search
L22: (10) Backward citation search
L23: (0) Forward citation search 1
L24: (10) Combined citation search
L25: (11) (("6,629,337") or ("6.44
L26: (1) ("6447043").PN.
L27: (178) (49/247).CCLS.
L28: (280) (16/367-369).CCLS.
L29: (1) ("2178908").PN.
L30: (292) (296/51).CCLS.

Failed
Saved
Favorites
Tagged (122)
UDC
Queue
Trash

	Issue	Date	Page	Title	Current	OR	
110	19710629	8	VEHICLE DOOR MOUNTING	49/257	2		
111	19670815	7	Hinge lock for vehicle doors [TEXT AVAILABLE I	296/146.4	1		
112	20010306	11	Hinge system	296/146.11	1		
113	20001121	14	Hinge assembly for a vehicle door	296/146.12	1		
114	20000229	6	Pivot mechanism for motor car doors	296/146.12	4		
115	20040113	11	Vehicle with upwardly pivoting door	296/146.11	2		
116	19870804	10	Roof hinged door apparatus	296/202	1		
117	19881011	9	Trunk lid hinge and spring assembly	296/76	1		
118	19711221	7	ARTICULATED DOOR HINGE	16/287	1		
119	20020910	14	Vehicle closure assembly with hinge	296/76	1		
120	20040930	23	Multi-axis door hinge and swing-out vertical-	16/367	1		
121	19981110	16	Vehicle, particularly with a folding roof	296/108	1		
122	19391107	7	Hinge mounting for doors, panels, hatchway	16/367	4		

BRS form Hits Details HTML

Ready NUM

EAST - [lined duct:2]

File View Edit Tools Window Help

2) 14 and 49/248.ccls.
1) 14 and 49/246.ccls.
5) 14 and axis near5 (lock or catch)
(220) (296/146.11).CCLS.
(1) ("6305737").PN.
(32) Backward citation search 1
(358) (296/155).CCLS.
(6) 113 and upper near5 track with hinge
(8) 113 and 296/146.12.ccls.
(8) 113 and 296/146.12.ccls.
(16) 113 and 296/146.11.ccls.
(7) "6030025"
(3) (("6030025") or ("6086137") or ("6149222")).PN.
(1) ("6808223").PN.
(10) Backward citation search 2
(10) Backward citation search 3
(0) Forward citation search 1
(10) Combined citation search 1
(11) (("6,629,337") or ("6.447,043") or ("6,178,593") or
(1) ("6447043").PN.
(178) (49/247).CCLS.
(280) (16/367-369).CCLS.
(1) ("2178908").PN.
(292) (296/51).CCLS.

Search List Browse Queue Clear
DBs US-PGPUB:USPAT
Default operator: OR ☒ Highlight all hit terms initially
296/51

Custom form BRS form IS&R form Hits Details

	Issue	Dat	Page	Title	Current	OR	
L15: (8) 113 and 296/146.12.ccls.	97	20020207	23	Retractable top tonneau cover assembly and modu	296/107.01	2	
L16: (8) 113 and 296/146.12.ccls.	98	20020425	7	NARROW WIDTH SLIDE-OUT ROOM SUPPORT SYSTEM	296/26.13	2	
L17: (16) 113 and 296/146.11.ccls.	99	20020606	29	Automotive vehicle open air system	296/216.01	2	
L18: (7) "6030025"	100	20020704	18	Right-angle drive for slide out room	296/26.13	2	
L19: (3) (("6030025") or ("6086137"	101	20021205	11	Expandable room with flat floor	296/26.01	2	
L20: (1) ("6808223").PN.	102	19670411	2	Vehicle comprising a door connected to the b	49/249	1	
L21: (10) Backward citation search	103	19180115	3	OCR SCANNED DOCUMENT	16/222	2	
L22: (10) Backward citation search	104	19730320	4	HINGE MEANS FOR REVERSIBLE WINDOWS	49/248	4	
L23: (0) Forward citation search 1	105	19651214	5	Guided door hinge mechanism	49/248	1	
L24: (10) Combined citation search	106	19630122	5	Door assembly for a vehicle	49/248	1	
L25: (11) (("6,629,337") or ("6.44	107	19750422	18	Joint	403/93	1	
L26: (1) ("6447043").PN.	108	20011023	21	Automotive vehicle door svstem	296/146.11	2	
L27: (178) (49/247).CCLS.	109	19880105	21	Side door hinge mechanism in motor vehi	16/371	1	
L28: (280) (16/367-369).CCLS.	110	10710620	0	VEHICLE DOOR MOUNTING	40/252	1	
L29: (1) ("2178908").PN.							
L30: (292) (296/51).CCLS.							

Failed
Saved
Favorites
Tagged (122)
UDC
Queue
Trash

BRS form Hits Details HTML

Ready

NUM

EAST - [lined duct:2]

File View Edit Tools Window Help

2) 14 and 49/248.ccls.
1) 14 and 49/246.ccls.
5) 14 and axis near5 (lock or catch)
(220) (296/146.11).CCLS.
1) ("6305737").PN.
(32) Backward citation search 1
(358) (296/155).CCLS.
(6) 113 and upper near5 track with hinge
(8) 113 and 296/146.12.ccls.
(8) 113 and 296/146.12.ccls.
(16) 113 and 296/146.11.ccls.
7) "6030025"
3) (("6030025") or ("6086137") or ("6149222")).PN.
1) ("6808223").PN.
(10) Backward citation search 2
(10) Backward citation search 3
(0) Forward citation search 1
(10) Combined citation search 1
(11) (("6,629,337") or ("6.447,043") or ("6,178,593") or
1) ("6447043").PN.
(178) (49/247).CCLS.
(280) (16/367-369).CCLS.
1) ("2178908").PN.
(292) (296/51).CCLS.

Search List Browse Queue Clear

DBs US-PGPUB:USPAT

Default operator: OR ☒ Highlight all hit terms initially

296/51

Custom form BRS form IS&R form Hits Details

L9: (6) 14 and axis near5 (lock or
L10: (220) (296/146.11).CCLS.
L11: (1) ("6305737").PN.
L12: (32) Backward citation search
L13: (358) (296/155).CCLS.
L14: (6) 113 and upper near5 track
L15: (8) 113 and 296/146.12.ccls.
L16: (8) 113 and 296/146.12.ccls.
L17: (16) 113 and 296/146.11.ccls.
L18: (7) "6030025"
L19: (3) (("6030025") or ("6086137"
L20: (1) ("6808223").PN.
L21: (10) Backward citation search
L22: (10) Backward citation search
L23: (0) Forward citation search 1
L24: (10) Combined citation search
L25: (11) (("6,629,337") or ("6.447
L26: (1) ("6447043").PN.
L27: (178) (49/247).CCLS.
L28: (280) (16/367-369).CCLS.
L29: (1) ("2178908").PN.
L30: (292) (296/51).CCLS.

Failed
Saved

	Issue	Date	Page	Title	Current	OR	
110	19710629	8	VEHICLE DOOR MOUNTING	49/257	2		
111	19670815	7	Hinge lock for vehicle doors [TEXT AVAILABLE I	296/146.4	1		
112	20010306	11	Hinge system	296/146.11	1		
113	20001121	14	Hinge assembly for a vehicle door	296/146.12	1		
114	20000229	6	Pivot mechanism for motor car doors	296/146.12	4		
115	20040113	11	Vehicle with upwardly pivoting door	296/146.11	2		
116	19870804	10	Roof hinged door apparatus	296/202	1		
117	19881011	9	Trunk lid hinge and spring assembly	296/76	1		
118	19711221	7	ARTICULATED DOOR HINGE	16/287	1		
119	20020910	14	Vehicle closure assembly with hinge	296/76	1		
120	20040930	23	Multi-axis door hinge and swing-out vertical	16/367	1		
121	19981110	16	Vehicle, particularly with a folding roof	296/108	2		
122	19391107	7	Hinge mounting for doors, panels, hatchway	16/367	4		

BRS form Hits Details HTML

Ready

NUM

EAST - [lined duct:2]

File View Edit Tools Window Help

2) 14 and 49/248.ccls.
1) 14 and 49/246.ccls.
5) 14 and axis near5 (lock or catch)
(220) (296/146.11).CCLS.
1) ("6305737").PN.
(32) Backward citation search 1
(358) (296/155).CCLS.
(6) 113 and upper near5 track with hinge
(8) 113 and 296/146.12.ccls.
(8) 113 and 296/146.12.ccls.
(16) 113 and 296/146.11.ccls.
(7) "6030025"
(3) (("6030025") or ("6086137") or ("6149222")).PN.
(1) ("6808223").PN.
(10) Backward citation search 2
(10) Backward citation search 3
(0) Forward citation search 1
(10) Combined citation search 1
(11) (("6,629,337") or ("6.447,043") or ("6,178,593") or
(1) ("6447043").PN.
(178) (49/247).CCLS.
(280) (16/367-369).CCLS.
(1) ("2178908").PN.
(292) (296/51).CCLS.

Search List Browse Queue Clear
DBs US-PGPUB:USPAT
Default operator: OR ☒ Highlight all hit terms initially
296/51

Custom form BRS form IS&R form Hits Details

Drafts
Pending
Active


- L1: (11) (296/146.12).CCLS.
- L2: (108) (49/248).CCLS.
- L3: (371) (49/246).CCLS.
- L4: (737) ((16/321) or (16/327) or
- L5: (0) 14 and 296/146.12.ccls.
- L6: (61) 296/146.12.ccls.
- L7: (2) 14 and 49/248.ccls.
- L8: (1) 14 and 49/246.ccls.
- L9: (6) 14 and axis near5 (lock or
- L10: (220) (296/146.11).CCLS.
- L11: (1) ("6305737").PN.
- L12: (32) Backward citation search
- L13: (358) (296/155).CCLS.
- L14: (6) 113 and upper near5 track
- L15: (8) 113 and 296/146.12.ccls.
- L16: (8) 113 and 296/146.12.ccls.
- L17: (16) 113 and 296/146.11.ccls.
- L18: (7) "6030025"
- L19: (3) (("6030025") or ("6086137"
- L20: (1) ("6808223").PN.
- L21: (10) Backward citation search

	L #	Hits	Search Text	DBs	Time Stam	Comme
19	L19	3	((("6030025") or ("6086137") or ("6149	USPA T	2004/11/1 2 08:44	
20	L20	1	("6808223").PN.	USPA T	2004/11/1 2 08:44	
21	L21	10	("20030213102" "3589069" "4684167"	US-P GPUB	2004/11/1 2 08:44	
22	L22	10	("20030213102" "3589069" "4684167"	US-P GPUB	2004/11/1 2 08:46	
23	L23	0	("6808223").URPN.	USPA T	2004/11/1 2 08:47	
24	L24	10	("20030213102" "3589069" "4684167"	US-P GPUB	2004/11/1 2 09:01	
25	L25	11	((("6,629,337") or ("6.447,043") or ("6,	USPA T	2004/11/1 2 09:09	
26	L26	1	("6447043").PN.	USPA T	2004/11/1 2 09:25	
27	L27	178	(49/247).CCLS.	US-P GPUB	2004/11/1 2 09:30	
28	L28	280	(16/367-369).CCLS.	US-P GPUB	2004/11/1 2 09:46	
29	L29	1	("2178908").PN.	US-P GPUB	2004/11/1 2 09:58	
30	L30	292	(296/51).CCLS.	US-P GPUB	2004/11/1 2 09:59	

BRS form Hits Details HTML

Ready

NUM



2) 14 and 49/248.ccls.
 1) 14 and 49/246.ccls.
 5) 14 and axis near5 (lock or catch)
 (220) (296/146.11).CCLS.
 (1) ("6305737").PN.
 (32) Backward citation search 1
 (358) (296/155).CCLS.
 (6) 113 and upper near5 track with hinge
 (8) 113 and 296/146.12.ccls.
 (8) 113 and 296/146.12.ccls.
 (16) 113 and 296/146.11.ccls.
 (7) "6030025"
 (3) (("6030025") or ("6086137") or ("6149222")).PN.
 (1) ("6808223").PN.
 (10) Backward citation search 2
 (10) Backward citation search 3
 (0) Forward citation search 1
 (10) Combined citation search 1
 (11) (("6,629,337") or ("6.447,043") or ("6,178,593") or
 (1) ("6447043").PN.
 (178) (49/247).CCLS.
 (280) (16/367-369).CCLS.
 (1) ("2178908").PN.
 (292) (296/51).CCLS.

DBs US-PGPUB:USPAT

Default operator: OR

☒ Highlight all hit terms initially

296/51

Drafts

Pending

Active

L1: (11) (296/146.12).CCLS.
 L2: (108) (49/248).CCLS.
 L3: (371) (49/246).CCLS.
 L4: (737) ((16/321) or (16/327) or
 L5: (0) 14 and 296/146.12.ccls.
 L6: (61) 296/146.12.ccls.
 L7: (2) 14 and 49/248.ccls.
 L8: (1) 14 and 49/246.ccls.
 L9: (6) 14 and axis near5 (lock or
 L10: (220) (296/146.11).CCLS.
 L11: (1) ("6305737").PN.
 L12: (32) Backward citation search
 L13: (358) (296/155).CCLS.
 L14: (6) 113 and upper near5 track
 L15: (8) 113 and 296/146.12.ccls.
 L16: (8) 113 and 296/146.12.ccls.
 L17: (16) 113 and 296/146.11.ccls.
 L18: (7) "6030025"
 L19: (3) (("6030025") or ("6086137"
 L20: (1) ("6808223").PN.
 L21: (10) Backward citation search

	L #	Hits	Search Text	DBs	Time Stam	Comme
8	L8	1	14 and 49/246.ccls.	USPA T	2004/11/1 2 06:19	
9	L9	6	14 and axis near5 (lock or catch)	USPA T	2004/11/1 2 06:23	
10	L10	220	(296/146.11).CCLS.	US-P GPUB	2004/11/1 2 07:01	
11	L11	1	("6305737").PN.	US-P GPUB	2004/11/1 2 07:01	
12	L12	32	("3158395" "3272552" "3757969"	US-P GPUB	2004/11/1 2 07:02	
13	L13	358	(296/155).CCLS.	US-P GPUB	2004/11/1 2 07:58	
14	L14	6	113 and upper near5 track with hinge	USPA T	2004/11/1 2 07:59	
15	L15	8	113 and 296/146.12.ccls.	US-P GPUB	2004/11/1 2 08:03	
16	L16	8	113 and 296/146.12.ccls.	US-P GPUB	2004/11/1 2 08:03	
17	L17	16	113 and 296/146.11.ccls.	US-P GPUB	2004/11/1 2 08:36	
18	L18	7	"6030025"	US-P GPUB	2004/11/1 2 08:36	
19	L19	3	((("6030025") or ("6086137") or ("6149 ("6808223").PN.	USPA T	2004/11/1 2 08:44	
20	L20	1		USPA	2004/11/1	

Ready

NUM